



Ease of use and reliability
Fundamentals in chemistry control

Pure water analysis and online monitoring products

Power Plant Water Analysis

Pure Water & Online Monitoring

Reliable long-term operation of a modern power plant requires large quantities of ultrapure makeup water, in addition to recycled water that is almost perfectly conditioned. The reason is simple:

Mineral deposits and particulate matter in the boiler feed water and steam generator shorten the life of the turbines, resulting in expensive repairs or replacement.

Ensuring ultra high quality water requires precise measurement of trace impurities at the parts-per-billion level, as well as the tight monitoring and control of conditioning chemicals normally added to avoid corrosion of the turbines, boilers and pipes within the plant.

The key to deposition and corrosion prevention is non-stop, real-time monitoring of trace cations, anions and dissolved gases that can contaminate high-purity water.

Thermo Scientific sensors and online water analyzers meet your needs for water purification, boiler water control, condensate, and effluent applications. Proper chemistry management such as minimization of trace salt and silica contamination, control of dissolved gases like oxygen and ammonia, and maintenance of pH ranges not only prevent costly and unscheduled outages, but also greatly extend the useful lifetime of the plant.

Water analysis concerns:

- Boiler water chemistry
- Boiler water and feed water treatment
- Steam carryover and contamination by sodium
- Sodium in condensate
- Deaerator outlet for oxygen concentration
- Sodium and silica breakthrough on demineralizers or calcium hardness breakthrough on softeners
- pH and conductivity at various points

Featured Products



Thermo Scientific™ Orion™ 2111XP Sodium Analyzer

- Application packages available: Ammonia, Diisopropylamine (DIPA) and Cation/High Acid
- Stable, drift-free measurements are designed to eliminate the need for frequent calibration




Thermo Scientific Orion 2230XP Silica Analyzer

- Saves costs with low reagent consumption
- Wide detection range – 0 to 5000 ppb – for complete picture of silica intrusion
- Simplified fluid handling system designed to provide reliable and accurate measurements
- Compact footprint



Thermo Scientific Orion 2395 Phosphate Analyzer

- Standard colorimetric method for 0.2-50 ppm detection range
- Low reagent consumption - lower operation costs
- Easy to use with simple menu navigation
- Compact footprint



Thermo Scientific Products for Power Plant Water Treatment:

Pure Water Production	Boiler Feed Water	Condensate	Cooling Water Effluent	Deaerator	Boiler Water/ Blowdown
<ul style="list-style-type: none"> Orion 2111LL Low Level Sodium Analyzer Orion 2111XP Sodium Analyzer Orion 2230XP Silica Analyzer Thermo Scientific™ Orion™ ROSS™ 2001SC High Purity pH Electrode and Low Level Conductivity Cells Thermo Scientific™ AquaSensors™ DataStick™ AquaTrace™ Dissolved Oxygen System 	<ul style="list-style-type: none"> Orion 2118XP Oxygen Scavenger Analyzer Orion 2110XP Ammonia Analyzer Orion 2111LL Low Level Sodium Analyzer Orion 2001SC High Purity ROSS Combination Electrode Low Level Conductivity Cells AquaSensors DataStick AquaTrace Dissolved Oxygen System 	<ul style="list-style-type: none"> Orion 2111LL Low Level Sodium Analyzer Orion 2001SC High Purity ROSS pH Combination Electrode and Low Level Conductivity Cells 	<ul style="list-style-type: none"> Thermo Scientific™ Orion™ Chlorine XP™ Water Quality Analyzer 	<ul style="list-style-type: none"> Orion 2118XP Oxygen Scavenger Analyzer Orion 2001SC High Purity ROSS pH Combination Electrode and Low Level Conductivity Cells 	<ul style="list-style-type: none"> Orion 2230XP Silica Analyzer Orion 2395 Phosphate Analyzer Orion 2117LL Low Level and Orion 2117XP Chloride Analyzers Orion 2001SC High Purity ROSS pH Combination Electrode and Low Level Conductivity Cells



Thermo Scientific Orion 2001SC High Purity ROSS pH Electrode

- Drift-free patented ROSS reference system, with precision of 0.02 pH
- Designed to provide reliable, reproducible results in high purity samples
- Fast response for online pH electrodes



Thermo Scientific Orion Chlorine XP Online Water Quality Analyzer

- Measures free, total and total combined chlorine
- Simple, quick installation and operation
- Auto calibration and auto self-cleaning
- Designed for low maintenance and continuous on-line operation
- Simple, quick reagent replacement



Thermo Scientific Orion 2117LL Low Level Chloride Analyzer

- Detects chloride in real-time – providing accurate & reliable results
- One of the few real-time monitors on the market capable of reading down to 5ppb
- Simple operation and minimal maintenance required – no moving parts



Leaders in Sensing Technology

From supplying safe drinking water or reliably controlling wastewater treatment processing, to delivering significant value to industrial water treatment providers – our water experts can help you meet your application challenges. Thermo Scientific process water analysis measurement products are designed

for flexibility, ease of use, and low cost of operation in water treatment, delivering accuracy you can trust with confidence year after year. Select from our digital plug-and-play systems, advanced optical DO sensors, and a broad portfolio of differential and analog measurement capabilities to build your water quality solution.

Distributed By:

Find out more at thermofisher.com/water

©2016 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified.

Water and Lab Products

North America
Toll Free: 1-800-225-1480
Tel: 1-978-232-6000
info.water@thermofisher.com

Germany
Tel: (49) 6184-90-6000
info.water.uk@thermofisher.com

India
Tel: (91) 22-4157-8800
wai.asia@thermofisher.com

Japan
Tel: (81) 045-453-9175
wai.asia@thermofisher.com

China
Tel: (86) 21-68654588
wai.asia@thermofisher.com

Singapore
Tel: (65) 6778-6876
wai.asia@thermofisher.com

Australia
Tel: (613) 9757-4300
In Australia: (1300) 735-295
InfoWaterAU@thermofisher.com

ThermoFisher
SCIENTIFIC